

REMARKS / DISCUSSION OF ISSUES

Claims 1-20 are pending in the application.

The specification is amended to make the discussion more consistent with the drawings. Applicants propose that the drawings are figurative and would be understood by those of ordinary skill in the art in combination with the specification. To make the specification more readable, Applicants propose that the drawings enclosed be substituted and the specification be amended to render the discussion clearer. Figs. 2 and 3-5 now show a symmetrical effect to the normal angle of incidence of the radiation 18. The amendment of the specification harmonizes the drawing change. FIG. 2A is added to illustrate what is already described in the original priority application at page 7 in the last full paragraph. Neither the addition of the figure nor the other amendments add new matter to the priority application US Patent Serial Number 10/142,587 filed 9 May 2002.

This is a preliminary amendment for the application being filed herewith. Examination of the application is now respectfully requested. If any points remain in issue that may best be resolved through a personal or telephonic interview, the Examiner is respectfully requested to contact the undersigned at the telephone number listed below.

Respectfully submitted,



Eric M. Bram  
Reg. 37,285  
Att'y for Applicant(s)  
Philips Intellectual Property  
& Standards

P.O. Box 3001  
Briarcliff Manor, NY 10510-8001  
Phone: (914) 333-9635  
Fax: (914) 332-06150